

Board – CBSE

Class – 7th

Topic – Properties of Triangle

1. In a $\triangle ABC$, if $\angle A = 72^\circ$ and $\angle B = 63^\circ$, find $\angle C$.

Ans: Sum of the angles of a triangle is 180° .

$$\therefore \angle A + \angle B + \angle C = 180^\circ$$

$$72^\circ + 63^\circ + \angle C = 180^\circ$$

$$\angle C = 45^\circ$$

Hence, $\angle C$ measures 45° .

2. Find the angles of a triangle which are in the ratio 4 : 3 : 2.

Ans: Suppose the angles of the triangle are $(4x)^\circ$, $(3x)^\circ$ and $(2x)^\circ$.

Sum of the angles of any triangle is 180° .

$$\therefore 4x + 3x + 2x = 180$$

$$9x = 180$$

$$x = 20$$

Therefore, the angles of the triangle are $(4 \times 20)^\circ$, $(3 \times 20)^\circ$ and $(2 \times 20)^\circ$,

i.e. 80° , 60° and 40° .

3. One of the acute angles of a right triangle is 36° . find the other.

Ans: Sum of the angles of a triangle is 180° .

Suppose the other angle measures x .

It is a right angle triangle. Hence, one of the angle is 90° .

$$\therefore 36^\circ + 90^\circ + x = 180^\circ$$

$$x = 54^\circ$$

Hence, the other angle measures 54° .

4. Each of the two equal angles of an isosceles triangle is twice the third angle. Find the angles of the triangle.

Ans: Suppose the third angle of the isosceles triangle is x° .

Then, the two equal angles are $(2x)^\circ$ and $(2x)^\circ$.

Sum of the angles of any triangle is 180° .

$$\therefore 2x + 2x + x = 180$$

$$5x = 180$$

$$x = 36$$

Hence, the angles of the triangle are 36° , $(2 \times 36)^\circ$ and $(2 \times 36)^\circ$, i.e. 36° , 72° and 72°

5. In a $\triangle ABC$, if $2\angle A = 3\angle B = 6\angle C$, calculate $\angle A$, $\angle B$ and $\angle C$.

Ans: Suppose: $2\angle A = 3\angle B = 6\angle C = x^\circ$

$$\text{Then, } \angle A = \left(\frac{x}{2}\right)^\circ$$

$$\angle B = \left(\frac{x}{3}\right)^\circ \text{ and } \angle C = \left(\frac{x}{6}\right)^\circ$$

Sum of the angles of any triangle is 180° .

$$\angle A + \angle B + \angle C = 180^\circ$$

$$\Rightarrow \frac{x}{2} + \frac{x}{3} + \frac{x}{6} = 180^\circ$$

$$\Rightarrow \frac{3x + 2x + x}{6} = 180^\circ$$

$$\Rightarrow \frac{6x}{6} = 180^\circ$$

$$\Rightarrow x = 180^\circ$$

$$\therefore \angle A = \left(\frac{180}{2}\right)^\circ = 90^\circ, \angle B = \left(\frac{180}{3}\right)^\circ = 60^\circ, \angle C = \left(\frac{180}{6}\right)^\circ = 30^\circ$$

6. What is the measure of each angle of an equilateral triangle?

Ans: We know that the angles of an equilateral triangle are equal.

Let the measure of each angle of an equilateral triangle be x° .

$$\therefore x + x + x = 180$$

$$x = 60^\circ.$$


Hence, the measure of each angle of an equilateral triangle is 60° .

7. In the given figure, $DE \parallel BC$. If $\angle A = 65^\circ$ and $\angle B = 55^\circ$, find $\angle ADE$

Ans: $DE \parallel BC$

$$\therefore \angle ABC = \angle ADE = 55^\circ$$

(Corresponding angles)



8. In the figure given alongside, find the values of x and y.

Ans: We know that the exterior angle of a triangle is equal to the sum of the interior opposite angles.

$$\therefore \angle BAC + \angle ABC = \angle ACD$$

$$x + 68 = 130$$


$$x = 62$$

Sum of the angles in any triangle is 180° .

$$\therefore \angle BAC + \angle ABC + \angle ACB = 180^\circ$$

$$62 + 68 + y = 180$$

$$y = 50$$



9. An exterior angle of a triangle measures 110° and its interior opposite angles are in the ratio 2 : 3. Find the angles of the triangle.

Ans: Suppose the interior opposite angles are $(2x)^\circ$ and $(3x)^\circ$.

We know that the exterior angle of a triangle is equal to the sum of the interior opposite angles.

$$\therefore 3x + 2x = 110$$

$$x = 22$$

The interior opposite angles are $(2 \times 22)^\circ$ and $(3 \times 22)^\circ$, i.e. 44° and 66° .

Suppose the third angle of the triangle is y° .

Now, sum of the angles in any triangle is 180° .

$$\therefore 44 + 66 + y = 180$$

$$y = 70$$

Hence, the angles of the triangle are 44° , 66° and 70° .


10. In the figure given alongside, find: $\angle ACD$

Ans: We know that the exterior angle of a triangle is equal to the sum of the interior opposite angles.

In $\triangle ABC$:

$$\angle ACD = \angle BAC + \angle ABC = 25^\circ + 45^\circ$$

$$\angle ACD = 70^\circ$$



11. Two sides of a triangle are 5 cm and 9 cm long. What can be the length of its third side?

Ans: Let the length of the third side be x cm.

Sum of any two sides of a triangle is greater than the third side.

$$\therefore 5 + 9 > x$$

$$\Rightarrow x < 14$$

Hence, the length of the third side must be less than 14 cm.

12. The two legs of a right triangle are equal and the square of its hypotenuse is 50. Find the length of each leg.

Ans: Suppose the length of the two legs of the right triangle are a cm and a cm.

Then, by Pythagoras theorem:

$$a^2 + a^2 = 50$$

$$\Rightarrow 2a^2 = 50$$

$$\Rightarrow a^2 = 25$$

$$\Rightarrow a = \sqrt{25}$$

$$\Rightarrow a = 5$$

Hence, the length of each leg is 5 cm.

13. A 15-m-long ladder is placed against a wall to reach a window 12 m high.

Find the distance of the foot of the ladder from the wall.

Ans: By Pythagoras theorem in $\triangle ABC$:

$$AB^2 = AC^2 + BC^2$$

$$15^2 = x^2 + 12^2$$

$$\Rightarrow x^2 = 225 - 144$$


$$\Rightarrow x^2 = 81$$

$$\Rightarrow x^2 = 9^2$$

$$\Rightarrow x = 9$$

$$\therefore x = 9 \text{ cm}$$

Hence, the distance of the foot of the ladder from the wall is 9 cm.



14. A tree is broken by the wind but does not separate. If the point from where it breaks is 9 m above the ground and its top touches the ground at a distance of 12 m from its foot, find out the total height of the tree before it broke.

Ans: Let BD be the height of the tree broken at point C and suppose CD take the position CA

Now as per given conditions we have $AB = 9 \text{ m}$, $BC = 12 \text{ m}$

By Pythagoras theorem:

$$AC^2 = AB^2 + BC^2$$

$$\Rightarrow AC^2 = 12^2 + 9^2$$

$$\Rightarrow AC^2 = 144 + 81$$

$$\Rightarrow AC^2 = 225$$


$$\Rightarrow AC^2 = 15^2$$

$$\Rightarrow AC = 15$$

Length of the tree before it broke = $AC + AB$

$$= 15 + 9$$

$$= 24 \text{ m}$$



15. A man goes 3 km due north and then 4 km due east. How far is he away from his initial position?

Ans: Suppose the man starts from A and goes 3 km north and reaches B.

He then goes 4 km towards east and reaches C.

$$\therefore AB = 3 \text{ km}$$

$$BC = 4 \text{ km}$$

We have to find AC.

By Pythagoras theorem:

$$\Rightarrow AC^2 = AB^2 + BC^2$$

$$\Rightarrow AC^2 = 3^2 + 4^2$$

$$\Rightarrow AC^2 = 25$$

$$\Rightarrow AC^2 = 5^2$$

$$\Rightarrow AC = 5 \text{ km}$$

Hence, he is 5 km far from the initial position.

